

IYALY SRL
Via Pola 23
20124 Milano (MI)
Ambroslyaly
Nectar for People

TECHNICAL DATA SHEET

rev.1.00

PRODUCT PHOTOS



PRODUCT NAME

C plus
With protected Vitamin C and Vitamin C from Strawberry.

FORMAT

60 capsules of 600mg

SHELF LIFE AND CERTIFICATIONS

36 MONTHS



ARTICLE CODE

INT009

PRODUCT DESCRIPTION

C plus is a dietary supplement with Vitamin C and titrated Strawberry extract designed to support the immune system, reduce tiredness and fatigue, and protect cells from oxidative stress. Vitamin C is helpful in supporting the immune system and reducing fatigue. It also has strong antioxidant power, which helps fight free radicals, protecting cells from oxidative damage. Titrated Strawberry extract in synergy with Vitamin C provides additional antioxidants and beneficial compounds that help improve cellular protection and promote general well-being. Cplus is an excellent choice for those seeking natural support for immune system support, fatigue reduction and cell protection.

INGREDIENTS

EC-protected vitamin C (L-ascorbic acid, glazing agent: ethyl cellulose), strawberry E.S. tit. 50% Vitamin C (*Fragaria vesca* L., false fruit), bulking agent: microcrystalline cellulose; vegetable capsule (hydroxypropyl methyl cellulose), anti-caking agent: silicon dioxide

AVERAGE CONTENT	DAILY DOSE (*)	VNR (**) (%)
Total vitamin C	300 mg	375%
Vitamin C 'EC' protected	200 mg	250%
Strawberry E.S	200 mg	-
Of which Vitamin C	100 mg	125%

daily dose () = 1 capsule*

*VNR (**) = Nutrient Reference Values (adults) according to EU Regulation 1169/2011*

PHYSIOLOGICAL EFFECTS

Dietary supplement based on Vitamin C helps support the normal function of the immune system and reduce feelings of tiredness and fatigue. Furthermore, in synergy with the titrated extract of Strawberry, it contributes to the protection of cells against oxidative stress. The ascorbic acid in a protected form with ethyl cellulose (EC) contained in C plus maintains a high degree of stability of Vitamin C, increasing its actual absorption.

METHOD OF USE

It is recommended to take 1 capsule per day as required, away from main meals.

WARNINGS

Food supplements are not intended as a substitute for a varied, balanced diet and a healthy lifestyle. Do not exceed the recommended daily intake. Keep out of reach of children under three years of age.

NET QUANTITY

37g e 1,27 oz

NET MODE

Store in a dry place and away from light and heat sources.

ALLERGEN DECLARATION

IYALY Srl. declares that, on the basis of the documentation delivered by the suppliers, the product contains/does not contain the substances that may cause allergies or intolerances mentioned in Annex II of EU Regulation no. 1169/2011, as per the table below.

ALLERGENS

ALLERGENS	ALLERGEN-PRESENCE IN THE PRODUCT	INGREDIENTS IN WHICH THE ALLERGEN IS CONTAINED	PRESENCE OF ALLERGEN IN THE ESTABLISHMENT AS AN INGREDIENT OR AS AN ALLERGENIC RESIDUE OF AN INGREDIENT
1. Cereals containing gluten, i.e.: wheat, rye, barley, oats, spelt, kamut or their hybridised strains and products thereof, except: (a) wheat-based glucose syrups, including dextrose (*); (b) wheat-based maltodextrins (*); (c) barley-based glucose syrups; (d) cereals used for the manufacture of spirits, including ethyl alcohol of agricultural origin. (*) And derived products, insofar as the processing they have undergone is not likely to raise the level of allergenicity assessed by the Authority for the basic product from which they are derived.	NO	NO	NO
2. Crustaceans and crustacean products.	NO	NO	NO
3. Eggs and egg products.	NO	NO	NO
4. Fish and fish products, except: a) fish gelatine used as a carrier for vitamin or carotenoid preparations; b) gelatine or isinglass used as a fining agent in beer and wine.	NO	NO	NO
5. Peanuts and peanut products.	NO	NO	NO
6. Soybean and soybean products, except: (a) refined soybean oil and fat (*); (b) natural mixed tocopherols (E306), natural D-alpha tocopherol, natural D-alpha tocopherol acetate, natural D-alpha tocopherol succinate from soybean sources; (c) vegetable oils derived from phytosterols and phytosterol esters from soybean sources; (d) plant stanol ester produced from sterols of vegetable oil from soybean sources. (*) And derived products, insofar as the processing they have undergone is not likely to raise the level of allergenicity assessed by the Authority for the commodity from which they are derived.	NO	NO	NO

ALLERGENS

ALLERGENS	ALLERGEN- PRESENCE IN THE PRODUCT	INGREDIENTS IN WHICH THE ALERGEN IS CONTAINED	PRESENCE OF ALLERGEN IN THE ESTABLISH- MENT AS AN INGREDIENT OR AS AN ALLERGE- NIC RESIDUE OF AN INGREDIENT
7. Milk and milk products (including lactose), except: a) whey used for the manufacture of alcoholic distillates, including ethyl alcohol of agricultural origin; b) lactiol.	NO	NO	NO
8. Nuts, i.e.: almonds (<i>Amygdalus communis</i> L.), hazelnuts (<i>Corylus avellana</i>), walnuts (<i>Juglans regia</i>), cashews (<i>Anacardium occidentale</i>), pecans (<i>Carya illinoensis</i> (Wangenh.) K. Koch], Brazil nuts (<i>Bertholletia excelsa</i>), pistachio nuts (<i>Pistacia vera</i>), macadamia nuts or Queensland walnuts (<i>Macadamia ternifolia</i>), and their products, except for nuts used in the manufacture of alcoholic distillates, including ethyl alcohol of agricultural origin.	NO	NO	NO
9. Celery and celery products.	NO	NO	NO
10. Mustard and mustard products.	NO	NO	NO
11. Sesame seeds and sesame seed products.	NO	NO	NO
12. Sulphur dioxide and sulphites in concentrations exceeding 10 mg/kg or 10 mg/litre in terms of total SO ₂ to be calculated for products as proposed ready for consumption or reconstituted according to manufacturers' instructions.	NO	NO	NO
13. Lupins and lupin products	NO	NO	NO
14. Molluscs and mollusc products.	NO	NO	NO